

SEMPELL HIGH CAPACITY SAFETY VALVE
MODEL MAXIS

High Capacity "over-T" Relief Valve with DIN flanges, ASME flanges or welding end connection



FEATURES

- Single trim design for steam, gases and liquids
- Low friction thermoelastic guide
- Self-aligning spring assembly
- Low friction, spring compression
- Low maintenance
- Locking for hydrostatic test without additional parts, cap top doubles up as gagging device
- Pop action
- Mechanical lift ensures functional stability
- High allowable back pressure
- Available with actuator for use as pneumatic operated safety valve

GENERAL APPLICATION

The Sempell Model MaxiS pressure relief valve provides overpressure protection from very basic to the most demanding applications. It is type-tested for use with steam, gases and liquids (German TÜV, American NB and Chinese SEL0). The MaxiS is available in conventional balanced bellows and open bonnet type. The use of MaxiS allows to minimize the number of valves in cases, where the sole use of standard safety valves would require multiple valve installations. This results in less installation efforts and less maintenance costs.

TECHNICAL DATA

Size inlet:	DN 250 - DN 700 NPS 10 - NPS 28
Pressure rating:	PN 6 - PN 63 Class 150 - 300
Temperature:	-200 °C - +700 °C -450 °F - +1300 °F
Set pressure:	0.3 - 24 bar
Orifice diameter:	185 mm - 438 mm (T1 - Z)
Body material:	1.0619/SA216 WCB 1.7357/SA217 WC6 1.6220/SA352 LCC 1.4408/SA351 CF8M 1.4552/SA351 CF8C Other materials available on request
Accessories:	Balanced piston, cooling spacer, lifting lever, test gag, position indicator, reinforced bellows, adjusting ring, pneumatic actuator Other accessories available on request

Neither Emerson, Emerson Automation Solutions, nor any of their affiliated entities assumes responsibility for the selection, use or maintenance of any product. Responsibility for proper selection, use, and maintenance of any product remains solely with the purchaser and end user.

Sempell is a mark owned by one of the companies in the Emerson Automation Solutions business unit of Emerson Electric Co. Emerson Automation Solutions, Emerson and the Emerson logo are trademarks and service marks of Emerson Electric Co. All other marks are the property of their respective owners.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available upon request. We reserve the right to modify or improve the designs or specifications of such products at any time without notice.

Emerson.com/FinalControl