

COMPRESSION FITTINGS, MAX. PRESSURE 15MPa (150 BAR) (2150 PSI)

	Part No.	Tube Ø	Thread	
FITTING FOR TUBE				
	3084247	4	M8x1	-
	92004	4	5/16"-24 NF	-
	92041	4	1/8" BSP	-
	92052	6	1/8" BSP	-
	92014	6	1/4" BSP	-
	3084248	6	M 10 x 1	-
	92053	8	1/4" BSP	-
	3084249	8	M 14 x1,5	-
	92010	10	3/8" BSP	-
COMPRESSION CONE				
	93004	4	-	-
	93006	6	-	-
	93008	8	-	-
	93010	10	-	-
	93015	12	-	-
FEMALE CONNECTORS				
	92287	4	M8x1,25	5/16" - 24 NF
	3085110	4	M10 x1 taper	M8x1
	910005	4	1/8" BSP taper	5/16" -24 NF
	92068	4	1/4" BSP taper	5/16" -24 NF
	3085109	6	M10x1 taper	M10x1
	910051	6	1/8" BSP taper	1/8" BSP
	910011	6	1/8"BSP taper	1/4" BSP
	910007	6	1/8" BSP taper	1/4" BSP
	910052	6	1/4" BSP taper	1/8" BSP
	910013	6	3/8" BSP taper	1/4" BSP
	910083	6	1/2" BSP taper	1/4" BSP
	910012	8	1/8" BSP taper	1/4" BSP
	910008	8	1/4 BSP taper	1/4" BSP
	910014	8	3/8" BSP taper	1/4" BSP
	910084	8	1/2" BSPtaper	1/4" BSP
	92138	10	1/4" BSPtaper	3/8" BSP
	92141	10	3/8" BSP taper	3/8" BSP
	910085	10	1/2" BSP taper	3/8" BSP
	92248	6	1/4" BSP	1/4" BSP
	92250	6	3/8" BSP	1/4" BSP
	92255	8	1/4" BSP	1/4" BSP
	92257	8	3/8" BSP	1/4" BSP
	92260	10	1/4" BSP	3/8BSP
	92261	10	3/8" BSP	3/8 BSP

	Part No.	Tube Ø	Thread	
NUTS FOR COMPRESSION CONE				
	3235125	4	-	M8 x 1
	91354	4	-	5/16"-24 NF
	91358	6	-	1/8" BSP
	91359	6	-	M 10x1
	91366	8	-	1/4" BSP
	91370	8	-	M12x1
	91375	10	-	M18x1,5
	91378	12	-	M20x1,5
PLUGS				
	3232111	-	M10X1	-
	3232113	-	1/8" BSP	-
	622006	-	M12x1	-
	91124	-	M16x1	-
	3232117	-	1/4" BSP	-
FEMALE CONNECTORS				
	92288	4	M8x1,25	-
	3085118	4	M10x1	-
	92069	4	1/8" BSP	-
	92067	4	1/4" BSP	-
	3085119	6	M10x1	-
	92080	6	1/8" BSP	-
	92079	6	1/8"BSP	-
	92088	6	1/8 BSP	-
	92083	6	1/4" BSP	-
	92090	6	3/8" BSP	-
	92097	6	1/2" BSP	-
	92112	8	1/8" BSP	-
	92115	8	1/4"BSP	-
	92118	8	3/8" BSP	-
	92120	8	1/2" BSP	-
	92139	10	1/4"BSP	-
	92142	10	3/8" BSP	-
	92143	10	1/2" BSP	-
	92246	6	1/4" BSP	-
	92251	6	3/8BSP	-
	92256	8	1/4" BSP	-
	92258	8	3/8" BSP	-
	92263	10	1/4" BSP	-
	92262	10	3/8"BSP	-

	Part No.	Tube Ø	Thread	
WITH CHECK VALVE				
	94390	4	M8x1,25	5/16"-24 NF
	94370	4	1/8" BSP taper	5/16"-24 NF
	94450	6	1/8" BSPtaper	1/4" BSP
	94470	6	1/4" BSP taper	1/4" BSP
	94550	8	1/8" BSP taper	1/4" BSP
	94570	8	1/4" BSP taper	1/4" BSP
	94650	10	3/8" BSP taper	3/8" BSP
MALE CONNECTORS				
	3085008	4	M8x1 taper	M8x1
	3085111	4	M10x1 taper	M8x1
	3085010	4	1/8" BSP taper	M8x1
	3085012	4	1/4" BSP taper	M8x1
	3085112	6	M10x1 taper	M10x1
	3085014	6	1/8" BSP taper	M10x1
	3085016	6	1/4" BSP taper	M10x1
	3085018	8	M10x1 taper	M12x1
	3085020	8	M12x1 taper	M12x1
	3085022	8	1/8" BSP taper	M12x1
	3085024	8	1/4" BSP taper	M12x1
	3085026	10	1/4" BSP taper	M18x1,5
	3085028	10	3/8" BSP taper	M18x1,5
90° ELBOWS				
	93453	4	M8X1,25	5/16"-24 NF
	911005	4	1/8" BSP taper	5/16"-24 NF
	93060	4	1/4" BSP taper	5/16"-24" NF
	911051	6	1/8" BSP taper	1/8" BSP
	911007	6	1/4" BSP taper	1/4" BSP
	911052	6	1/4" BSP taper	1/8" BSP
	93064	6	3/8" BSP taper	1/4" BSP
	911053	6	1/2" BSP taper	1/4" BSP
	911012	8	1/8" BSP taper	1/4" BSP
	911008	8	1/4" BSP taper	1/4" BSP
	93091	8	3/8" BSP taper	1/4" BSP
	911056	8	1/2" BSP taper	1/4" BSP
	93094	10	3/8" BSP taper	3/8" BSP
	911055	10	1/2" BSP taper	3/8" BSP

	Part No.	Tube Ø	Thread	
WITH CHECK VALVE				
	94392	4	-	-M8x1,25
	94373	4	-	1/8" BSP taper
	94452	6	-	1/8" BSP taper
	94473	6	-	1/4" BSP taper
	94552	8	-	1/8" BSP taper
	94572	8	-	1/4" BSP taper
	94653	10	-	3/8" BSP taper
MALE CONNECTORS				
	3085009	4	M8x1,25 taper	-
	3085120	4	M10x1 taper	-
	3085011	4	1/8" BSP taper	-
	3085013	4	1/4" BSP taper	-
	3085121	6	M10x1 taper	-
	3085015	6	1/8" BSP taper	-
	3085017	6	1/4" BSP taper	-
	3085019	8	M10x1 taper	-
	3085021	8	M12x1 taper	-
	3085023	8	1/8" BSP taper	-
	3085025	8	1/4" BSP tape	-
	3085027	10	1/4" BSP taper	-
	3085029	10	3/8" BSP taper	-
90° ELBOWS				
	93454	4	M8x1,25	-
	93061	4	1/8" BSP taper	-
	93059	4	1/4" BSP taper	-
	93070	6	1/8" BSP taper	-
	93074	6	1/4" BSP taper	-
	93075	6	1/4" BSP taper	-
	93067	6	3/8" BSP taper	-
	93066	6	1/2" BSP taper	-
	93082	8	1/8" BSP taper	-
	93084	8	1/4" BSP taper	-
	93090	8	1/4" BSP taper	-
	93086	8	1/2" BSP taper	-
	93095	10	3/8" BSP taper	-
	93096	10	1/2" BSP taper	-



COMPRESSION FITTINGS, MAX. PRESSURE 15MPa (150 BAR) (2150 PSI)

	Part No.	Tube Ø	Thread	
90° ELBOWS WITH CHECK VALVE				
			m.	f.
	94070	4	M8x1,25	5/16"-24 NF
	94050	4	1/8" BSP taper	5/16"-24 NF
	94130	6	1/8" BSP taper	1/4" BSP
	94150	6	1/4" BSP taper	1/4" BSP
	94230	8	1/8" BSP taper	1/4" BSP
	94250	8	1/4" BSP taper	1/4" BSP
90° ELBOWS				
			m.	f.
	3085007	4	M6x1 taper	M8x1
	3085030	4	M8x1 taper	M8x1
	3085107	4	M10x taper	M8x1
	3085032	4	1/8" BSP taper	M8x1
	3085034	4	1/4" BSP taper	M8x1
	3085108	6	M10x1 taper	M10x1
	3085036	6	1/8" BSP taper	M10x1
	3085038	6	1/4" BSP taper	M10x1
	3085040	8	M10x1 taper	M12x1
	3085042	8	M12x1 taper	M12x1
	3085044	8	1/8" BSP taper	M12x1
	3085046	8	1/4" BSP taper	M12x1
	3085048	10	1/4" BSP taper	M18x1,5
	3085050	10	3/8" BSP taper	M18x1,5
45° ELBOWS				
			m.	f.
	92720	4	M8x1,25	5/16"-24 NF
	914005	4	1/8"BSP taper	5/16"-24 NF
	914011	6	1/8" BSPtaper	1/4" BSP
	914007	6	1/4" BSP taper	1/4" BSP
	914012	8	1/8" BSP taper	1/4" BSP
	914008	8	1/4" BSP taper	1/4" BSP
STRAIGHT UNIONS				
			m.	f.
	96135	6	1/4" BSP	-
	96142	8	1/4" BSP	-
	96145	10	3/8" BSP	-
STRAIGHT REDUCING UNIONS				
			m.	f.
	96635	4-6	5/16"-24 NF	1/4" BSP
	96637	6-8	1/8" BSP	1/4" BSP
	96642	8-10	1/4" BSP	3/8" BSP
STRAIGHT UNIONS				
			m.	f.
	96053	4	M8x1	-
	96055	6	M10x1	-
	96059	8	M12x1	-
	96061	10	M18x1,5	-
	96079	12	M20x1,5	-

	Part No.	Tube Ø	Thread	
90° ELBOWS WITH CHECK VALVE				
	94072	4	M8x1,25	-
	94052	4	1/8" BSP taper	-
	94132	6	1/8" BSP taper	-
	94152	6	1/4" BSP taper	-
	94232	8	1/8" BSP taper	-
	94252	8	1/4" BSP taper	-
90° ELBOWS				
	3085073	4	M6x1 taper	-
	3085031	4	M8x1 taper	-
	3085004	4	M10x1 taper	-
	3085033	4	1/8" BSP taper	-
	3085035	4	1/4" BSP taper	-
	3085005	6	M10x1 taper	-
	3085037	6	1/8" BSP taper	-
	3085039	6	1/4" BSP taper	-
	3085041	8	M10x1 taper	-
	3085043	8	M12x1 taper	-
	3085045	8	1/8" BSP taper	-
	3085047	8	1/4" BSP taper	-
	3085049	10	1/4" BSP taper	-
	3085051	10	3/8" BSP taper	-
45° ELBOWS				
	92721	4	M8x1,25	-
	92686	4	1/8" BSP taper	-
	92690	6	1/8" BSP taper	-
	92691	6	1/4" BSP taper	-
	92697	8	1/8" BSP taper	-
	92696	8	1/4" BSP taper	-
STRAIGHT UNIONS				
	96136	6	1/4" BSP	-
	96141	8	1/4" BSP	-
	96144	10	3/8" BSP	-
STRAIGHT REDUCING UNIONS				
	96636	4-6	5/16"-24 NF	1/4" BSP
	96638	6-8	1/8" BSP	1/4" BSP
	96643	8-10	1/4" BSP	3/8" BSP
STRAIGHT UNIONS				
	96054	4	M8x1	-
	96056	6	M10x1	-
	96060	8	M12x1	-
	96062	10	M18x1,5	-
	96080	12	M20x1,5	-

COMPRESSION FITTINGS, MAX. 15MPa (150 BAR) (2150 PSI)

	Part No.	Tube Ø	Thread	
90° ELBOWS				
			m.	f.
	95136	4	M8x1	-
	95138	6	M10x1	-
	95143	8	M12x1	-
	95148	10	M18x1,5	-
	95159	12	M20x1,5	-
TEE UNIONS				
			m.	f.
	95645	4	M8x1	-
	95647	6	M10x1	-
	95653	8	M12x1	-
	95656	10	M18x1,5	-
	95669	12	M20x1,5	-
CROSS UNIONS				
			m.	f.
	95880	4	M8x1	-
	95882	6	M10x1	-
	95884	8	M12x1	-
	95886	10	M18x1,5	-
	95888	12	M20x1,5	-
REDUCERS				
			m.	f.
	3077140	4	M10x1	M8x1
	3077137	4	M12x1	M8x1
	98716	4	M12x1	5/16"-24 NF
	3077138	4	M16x1,5	M8x1
	98714	4	M16x1	5/16"-24 NF
	3077141	6	M10x1	M10x1
	98720	6	M12x1	M10x1
	3077139	6	M16x1,5	M10x1
	98725	6	M16x1	M10x1
	98730	8	M16x1	M12x1
	98732	8	M16x1,5	M12x1
TAPER REDUCERS				
			m.	f.
	94885	4	5/16"-24 NF	5/16"-24 NF
	94891	6	5/16"-24 NF	M10x1
	3077142	6	M14x1,5	M10x1
	94896	8	5/16"-24 NF	1/4" BSP
VARIOUS REDUCERS				
			m.	f.
	141695	-	1/8" BSP	M12x1
	92354	-	M12X1	1/8" BSP
	3077132	-	M10x1	M12x1
	3077100	-	1/4" BSP	1/8" BSP taper
	1112005	-	1/4" BSP taper	1/8" BSP taper
	3077106	-	1/2" BSP taper	1/4" BSP taper
	3077019	-	M16x1	M12x1

	Part No.	Tube Ø	Thread	
90° ELBOWS				
	95137	4	M8x1	-
	95139	6	M10x1	-
	95144	8	M12x1	-
	95149	10	M18x1,5	-
	95160	12	M20x1,5	-
TEE UNIONS				
	95646	4	M8x1	-
	95648	6	M10x1	-
	95654	8	M12x1	-
	95657	10	M18x1,5	-
	95670	12	M20x1,5	-
CROSS UNIONS				
	95881	4	M8x1	-
	95883	6	M10x1	-
	95885	8	M12x1	-
	95887	10	M18x1,5	-
	95889	12	M20x1,5	-
REDUCERS				
	3077145	4	M10x1	-
	3077146	4	M12x1	-
	98717	4	M12x1	-
	3077147	4	M16x1,5	-
	98715	4	M16x1	-
	3077148	6	M10x1	-
	98721	6	M12x1	-
	3077149	6	M16x1,5	-
	98726	6	M16x1	-
	98731	8	M16x1	-
	98733	8	M16x1,5	-
TAPER REDUCERS				
	94886	4	5/16"-24 NF	-
	94892	6	5/16"-24 NF	-
	94893	6	M14x1,5	-
	94898	8	5/16"-24 NF	-
SEALS				
	125030	for M10x1-1/8" BSP copper fitting.		
	97013	for M12x1 aluminium fitting.		
	97010	for 1/4" BSP aluminium fitting.		
	97011	for 3/8" BSP aluminium fitting.		
	97014	for M16x1 steel fitting.		
	3190178	for M16x1,5 copper fitting.		

COMPRESSION FITTINGS, MAX. 40MPa (400 BAR) (5700 PSI)

	Part No.	Tube Ø	Thread	
NUTS FOR RINGS				
	91396	6	M12X1,5	
	91397	6	M14x1,5	
	91401	8	M14x1,5	
	91402	8	8M16x1,5	
	91406	10	M18x1,5	
	91411	12	M20x1,5	
	91416	16	M24x1,5	
	91424	20	M30x2	
	91433	30	M40x2	
MALE CONNECTORS				
			m.	f.
	91950	6	1/8"BSP taper	M12x1,5
	91952	6	1/4" BSP taper	M12x1,5
	91957	8	1/8" BSP taper	M14x1,5
	91959	8	1/4" BSP taper	M14x1,5
	91966	10	1/4" BSP taper	M18x1,5
	91967	10	3/8" BSP taper	M18x1,5
	91975	12	3/8" BSP taper	M20x1,5
	91976	12	1/2 BSP taper	M20x1,5
	91983	16	3/8" BSP taper	M24x1,5
	92387	6	M12x1	M12x1,5
	92208	6	1/4" BSP	M12x1,5
	92212	8	1/4" BSP	M14/1,5
	92399	8	M16x1	M14x1,5
	92220	12	3/8" BSP	M20x1,5
	92224	16	3/8" BSP	M24x1
	92228	20	3/4" BSP	M30x2
	92235	30	1.1/4" BSP	M42x2
MALE CONNECTORS WITH GASKET-LESS SEAL				
	92266	8	1/4" BSP	M16x1,5
	92242	10	1/4" BSP	M18x1,5
	92269	10	3/8" BSP	M18x1,5
	92198	12	1/4" BSP	M20x1,5
	92240	12	3/8" BSP	M20x1,5
	92241	16	3/8" BSP	M24x1,5
MALE CONNECTORS WITH HEAD FOR TAPER SEALING				
	96915	6	1/4" BSP	M12x1,5
	92245	8	1/4" BSP	M14x1,5
	3084128	8	3/8" BSP	M14x1,5
	3084134	10	1/4" BSP	M18x1,5
	3084130	10	3/8 BSP	M18x1,5
	3084106	12	3/8" BSP	M20x1,5

	Part No.	Tube Ø	Thread		
RINGS					
	91590		o.d. 6 tube		
	91596		o.d. 8tube		
	91601		o.d. 10 tube		
	91607		o.d.12 tube		
	91612		o.d. 16 tube		
	91618		o.d. 20 tube		
	91625		o.d. 30 tube		
MALE CONNECTORS					
			m.	f.	
	91951	6	1/8" BSP taper	-	
	91953	6	1/4" BSP taper	-	
	91958	8	1/8" BSP taper	-	
	91960	8	1/4" BSP taper	-	
	91969	10	1/4" BSP taper	-	
	91968	10	3/8" BSP taper	-	
	91977	12	3/8" BSP taper	-	
	91978	12	1/2" BSP taper	-	
	91984	16	3/8" BSP taper	-	
	92384	6	M 12x1	-	
	92209	6	1/4 BSP	-	
	92213	8	1/4BSP	-	
	92398	8	M16x1	-	
	92217	10	3/8" BSP	-	
	92221	12	3/8" BSP	-	
	92225	16	3/8" BSP	-	
	92229	20	3/4" BSP	-	
	92234	30	1. 1/4" BSP	-	
	MALE CONNECTORS WITH GASKET-LESS SEAL				
		92267	8	1/4" BSP	-
		92243	10	1/4" BSP	-
		92270	10	3/8" BSP	-
92199		12	1/4\$ BSP	-	
92254		12	3/8" BSP	-	
92210		16	3/8" BSP	-	
MALE CONNECTORS WITH HEAD FOR TAPER SEALING					
	96916	6	1/4" BSP	-	
	3084131	8	1/4" BSP	-	
	3084127	8	3/8" BSP	-	
	3084133	10	1/4" BSP	-	
	3084129	10	3/8" BSP	-	
	3084145	12	3/8" BSP	-	

	Part No.	Tube Ø	Thread	
90° MALE ELBOWS				
			m.	f.
	93184	6	1/8" BSP taper	M 12x1,5
	93186	6	1/4" BSP taper	M12x1,5
	93195	8	1/4" BSP taper	M14x1,5
	93201	10	1/4" BSP taper	M18x1,5
	93202	10	3/8" BSP taper	M18x1,5
	93207	12	3/8" BSP taper	M20x1,5
	93213	16	3/8" BSPtaper	M24x1,5
	93221	20	3/4" BSP	M30x2
	93220	30	1 1/4" BSP	M42x2
TEE CONNECTORS				
			m.	f.
	93697	6	1/4" BSP taper	M 12x1,5
	93702	8	1/4" BSP taper	M14x1,5
	93706	10	3/8" BSP taper	M18x1,5
	93710	12	3/8" BSP taper	M20x1,5
	93715	16	3/8" BSP taper	M24x1,5
	93732	20	3/4" BSP taper	M30x2
	93734	30	1 1/4" BSP	M42x2
STRAIGHT UNIONS				
			m.	f.
	96097	6	M 12x1,5	-
	96102	8	M14x1,5	-
	96107	10	M18x1,5	-
	96111	12	M20x1,5	-
	96115	16	M24x1,5	-
	96132	20	M30x2	-
	96134	30	M42x2	-
90° ELBOWS				
			m.	f.
	95096	6	M12x1,5	-
	95101	8	M14x1,5	-
	95106	10	M18x1,5	-
	95111	12	M20x1,5	-
	95116	16	M24x1,5	-
	3074112	20	M30x2	-
	95123	30	M24x2	-
TEE UNIONS				
			m.	f.
	95685	6	M12x1,5	-
	95689	8	M14x1,5	-
	95693	10	M18x1,5	-
	95698	12	M20x1,5	-
	95703	16	M24x1,5	-
	95728	20	M30x2	-
	95730	30	M42x2	-

	Part No.	Tube Ø	Thread	
90° MALE ELBOWS				
			m.	f.
	93185	6	1/8" BSP taper	-
	93187	6	1/4" BSP taper	-
	93196	8	1/4" BSP taper	-
	93204	10	1/4" BSP taper	-
	93203	10	3/8" BSP taper	-
	93208	12	3/8" BSP taper	-
	93214	16	3/8" BSP taper	-
	93222	20	3/4" BSP	-
	93219	30	1 1/4" BSP	-
TEE CONNECTORS				
			m.	f.
	93696	6	1/4" BSP taper	-
	93703	8	1/4" BSP taper	-
	93707	10	3/8" BSP taper	-
	93711	12	3/8" BSP taper	-
	93716	16	3/8" BSP taper	-
	93731	20	3/4" BSP	-
	93733	30	1 1/4" BSP	-
STRAIGHT UNIONS				
	96098	-	tube Ø 6	-
	96103	-	tube Ø 8	-
	96108	-	tube Ø 10	-
	96112	-	tube Ø 12	-
	96116	-	tube Ø 16	-
	96131	-	tube Ø 20	-
	96133	-	tube Ø 30	-
90° ELBOWS				
	95095	-	tube Ø 6	-
	95100	-	tube Ø 8	-
	95105	-	tube Ø 10	-
	95110	-	tube Ø 12	-
	95115	-	tube Ø 16	-
	3074111	-	tube Ø 20	-
	95122	-	tube Ø 30	-
TEE UNIONS				
	95684	-	tube Ø 6	-
	95690	-	tube Ø 8	-
	95694	-	tube Ø 10	-
	95699	-	tube Ø 12	-
	95704	-	tube Ø 16	-
	95727	-	tube Ø 20	-
	1520920	-	tube Ø 30	-

	Part No.	TubeØ	Thread	
CROSS UNIONS				
			m.	f.
	95925	6	M12x1,5	-
	95932	8	M14x1,5	-
	95928	10	M18x1,5	-
	95930	12	M20x1,5	-
	95969	16	M24x1,5	-
	95982	20	M30x2	-
	95984	30	M42x2	-
REDUCING UNIONS				
			m.	f.
	96717	8-6	M14x1,5	M12x1,5
	96722	10-8	M18x1,5	M14x1,5
	96727	12-10	M20x1,5	M18x1,5
REDUCING 90° ELBOWS				
			m.	f.
	96838	10-8	M18x1,5	M14x1,5
	96841	16-8	M24x1,5	M14x1,5
	96843	16-10	M24x1,5	M18x1,5
REDUCING TEE				
	96596	M14x1,5-M12x1,5-M14x1,5		
	96600	M 18x1,5-M14x1,5-M18x1,5		
	96601	M24x1,5-M14x1,5-M24x1,5		
	96605	M24x1,5-M18x1,5-M24x1,5		
SEALS				
	97013	for M12x1 aluminium connectors		
	97010	for 1/4" BSP steel connectors		
	97011	for 3/8" BSP aluminium connectors		
	97014	for M16x1 steel connectors		
	3190094	for 3/4" BSP copper connectors		
	3190096	for 1 1/4" BSP copper connectors		

	Part No.	Tube Ø	Thread
CROSS UNIONS			
	95926	-	tube Ø 6
	95933	-	tube Ø 8
	95927	-	tube Ø 10
	95931	-	tube Ø 12
	95968	-	tube Ø 16
	95981	-	tube Ø 20
	95983	-	tube Ø 30
REDUCING UNIONS			
	96718	-	tubes Ø 8- 6
	96723	-	tubes Ø 10-8
	96728	-	tubes Ø 12-10
REDUCING 90° ELBOWS			
	96837	-	tubes Ø 10-8
	96842	-	tubes Ø 16-8
	96844	-	tubes Ø 16-10
REDUCING TEE			
	96595	-	tubes Ø 8-6-8
	96602	-	tubes Ø 10-8-10
	96603	-	tubes Ø 16-8-16
	96604	-	tubes Ø 16-10-16
ALL THE FITTINGS SUPPLIED WITH NUT ARE COMPLETE WITH RING OR CONE.			

FITTINGS

	Part No.	Tube Ø	Thread
ANCHOR BLOCK FOR FLEX TWO-LINE SYSTEM			
	118393	-	1/4" BSP tube Ø 6 mount 6,5
	118394	-	1/4" BSP tube Ø 8 mount 6,5
	118399	-	3/8" BSP tube Ø 10 mount 6,5

	Part No.	Tube Ø	Thread
90° SINGLE ANCHOR BLOCK TWO-LINE SYSTEM			
	118318	-	1/4" BSP mount Ø 6,5
	118319	-	3/8" BSP mount Ø 8,5