


October 2009

P590 Series Filters



W0166-1

Figure 1. Type P594-1 Mounted on Type 99 Gas Regulator

Introduction

P590 Series filters are designed to remove dirt, scale or other solid substances from gases just upstream from pilot supply lines for air or gas pressure regulators.

The filter elements in all P590 Series filters are readily accessible and easily cleaned.

Product Description

Type P594-1: The filter element of this unit is cellulose impregnated with a phenolic resin. The body of this unit is brass.

Type P593-1: Similar to the Type P594-1. The body of this unit, however, is aluminum.

Filtering Densities

The phenolic resin impregnated cellulose filter elements of these units are capable of removing all particles larger than 40 microns (0.0016-inch (0,04 mm)) in diameter.

P594 Series

Specifications

Sizing Coefficient

The gas sizing coefficient (C_g) for all two filter elements at 75% clogged is in a range from 15 to 20.

Body Size and End Connection Style

Connections: 1/4 NPT

Length: 3.25-inch (83 mm)

Approximate Weight

2 pounds (1 kg)

Maximum Working Pressure⁽¹⁾

Type P594-1 with Brass body:

1400 psig (96,5 bar)

Type P593-1 with Aluminum body:

600 psig (41,4 bar)

Ordering Information

To receive the fastest order processing, please specify type number and (for Type P593-1 only) the NACE option (NACE International standard MR0175-2003).

1. The pressure/temperature limits in this Bulletin or any applicable standard limitation should not be exceeded.




Table 1. Filter Types and Materials

TYPE	MATERIAL	
	Body	Filter Element
P593-1 ⁽¹⁾	Aluminum	Cellulose
P594-1	Brass	Cellulose

1. NACE option is available.

Figure 2. Type P594-1 (Dimensions are same for Type P593-1)

Webadmin.Regulators@emerson.com

[Facebook.com/EmersonAutomationSolutions](https://www.facebook.com/EmersonAutomationSolutions)

[Fisher.com](https://www.fisher.com)

[LinkedIn.com/company/emerson-automation-solutions](https://www.linkedin.com/company/emerson-automation-solutions)

[Twitter.com/emr_automation](https://twitter.com/emr_automation)

Emerson Automation Solutions

Americas

McKinney, Texas 75070 USA
T +1 800 558 5853
+1 972 548 3574

Europe

Bologna 40013, Italy
T +39 051 419 0611

Asia Pacific

Singapore 128461, Singapore
T +65 6777 8211

Middle East and Africa

Dubai, United Arab Emirates
T +971 4 811 8100

D100207X012 © 1971, 2009 Emerson Process Management Regulator Technologies, Inc. All rights reserved. 10/09.

The Emerson logo is a trademark and service mark of Emerson Electric Co. All other marks are the property of their prospective owners. Fisher™ is a mark owned by Fisher Controls International LLC, a business of Emerson Automation Solutions.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available upon request. We reserve the right to modify or improve the designs or specifications of such products at any time without notice.

Emerson Process Management Regulator Technologies, Inc. does not assume responsibility for the selection, use or maintenance of any product. Responsibility for proper selection, use and maintenance of any Emerson Process Management Regulator Technologies, Inc. product remains solely with the purchaser.