

# N 0100 SERIES | TEMPERATURE-RESISTANT AND HEATED GAS SAMPLING PUMPS




## ADVANTAGES

- Temperature-resistant (.16) or electrically heated with thermostatic temperature control (.11) for transferring hot process gases of up to 240 °C
- High chemical resistance
- Homogeneous temperature distribution throughout the entire pump head
- No condensation in the pump head

## POSSIBLE AREAS OF USE

- Environmental monitoring – especially motor test benches in automobile industry
- Analytical technology
- Research

Please visit our website  
[www.knf.com](http://www.knf.com)  
 to get more information



## PERFORMANCE DATA

Series model	N 0100		
Material design	AT.16 E	ST.16 E	ST.11 E
Pump head	Aluminum	Stainless steel	
Diaphragm	PTFE		
Valves	PTFE		
Flow rate at atm. pressure (l/min)	100.0		
Ultimate vacuum (mbar abs.)	180		
Max. operating pressure (bar rel./psig)	1.5/21.8		
Permissible ambient temperature (°C)	+10 ... +40		
Permissible media temperature (°C)	+5 ... +240		
Weight (kg/lbs)	21.0/46.3	28.0/61.7	28.5/62.8

## ELECTRICAL DATA

Voltage (V)	230	220	115	100
Motor	Capacitor motor			
Protection class motor	IP 44			
Frequencies (Hz)	50	60		50/60
Power P <sub>1</sub> (W)	450		430	450
I <sub>max</sub> (A)	3.0	3.2	5.6	6.5


# N 0100 AT.16 E | ST.16 E

## PERFORMANCE DATA


Series model	Flow rate at atm. pressure (l/min) <sup>1)</sup>	Max. operating pressure (bar rel./psig)	Ultimate vacuum (mbar abs.)
N 0100 AT.16 E	100.0	1.5/21.8	180
N 0100 ST.16 E	100.0	1.5/21.8	180

<sup>1)</sup> Liter at STP

## N 0100\_T.16 E



## N 0100\_T.16 E



# N 0100 ST.11 E

## PERFORMANCE DATA


Series model	Flow rate at atm. pressure (l/min) <sup>1)</sup>	Max. operating pressure (bar rel./psig)	Ultimate vacuum (mbar abs.)
N 0100 ST.11 E	100.0	1.5/21.8	180

<sup>1)</sup> Liter at STP


## HEATING: N 0100 ST.11 E

Protection class	IP 20
Voltage (V), Frequencies (Hz)	230, 50/60
Power P <sub>1</sub> (W)	900
I <sub>max</sub> (A)	3.80
Heating temperature (°C)	240

## N 0100 ST.11 E



## N 0100 ST.11 E



## ACCESSORIES

Description	Part No.
Wrench for retainer plate	020204

## SPARE PARTS

Description	Part No.
2 x Valve plate	114126
1 x Diaphragm	008602
2 x O-ring	113567
Thermo switch	114831

The performance values for the series models shown on this data sheet were determined under test conditions.

The actual performance values may differ and depend in particular on the usage conditions and therefore on the specific application, on the parameters of the components involved in the user's system and on any technical modifications carried out which deviate from the standard configuration or the as delivered condition.

If individual designs have been created for specific customers on the basis of series models, other technical performance data may apply.

Before operation begins, the relevant operating instructions and/or assembly or installation instructions should be read and the safety information contained in these instructions should be noted.

KNF reserves the right to make changes to the product and the associated documentation without prior notice to the customer.



[www.knf.com](http://www.knf.com)